



PRODUCT-DETAILS

FO200-50-5
CABLE TIE 50LB .75X9 GREEN FO LOOP



General Information	
Extended Product Type	FO200-50-5
Product ID	7TAG009630R0029
EAN	5414363021391
Catalog Description	CABLE TIE 50LB .75X9 GREEN FO LOOP
Long Description	FO Slotted Loop Tie, Green Polyamide (Nylon 6.6) on Hook Side and Low Density Polyethylene on Loop Side for Temperatures up to 104.4 Degrees Celsius (220 F), Length of 228.6mm (9.0 Inches), Width of 19.05mm (0.75 Inch), Thickness of 1.588mm (0.0625 Inch), Tensile Strength Rating of 222.5 Newtons (50 Pounds)

Ordering	
EAN	5414363021391
UPC	786210812861
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions	
------------	--

Product Net Width	0.75 in 19.5 mm
Product Net Depth / Length	9 in 228.6 mm

Container Information

Package Level 1 Units	10 EA
Package Level 1 Width	0 mm 0 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 2 Units	100 EA
Package Level 2 Width	0.025 mm 0.001 in
Package Level 2 Height	0.025 mm 0.001 in
Package Level 2 Depth / Length	0.025 mm 0.001 in

Technical UL/CSA

Flammability According to UL94	HB
--------------------------------	----

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	Max 2 in Max 50.8 mm
Color	Green
Effective Date	19971202
Lock Type	Velcro Fastener
Material	Polyethylene/Nylon
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	Hook and Loop
Special Functions	Enables quick and convenient bundling of data and fiber optic cables.
Tensile Strength	50 lb 222 N
Thickness	0.0625 in 1.588 mm

Certificates and Declarations

Data Sheet, Technical Information	FO200-50-5
-----------------------------------	------------

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie

UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5047 >> Velcro Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

