



PRODUCT-DETAILS

FOS150-50-0
CABLE TIE 50LB 6IN BLK NY FOS STRIP



General Information

Extended Product Type	FOS150-50-0
Product ID	7TAG009630R0046
EAN	5414363022039
Catalog Description	CABLE TIE 50LB 6IN BLK NY FOS STRIP
Long Description	FOS Strip Tie, Black Polyethylene/Nylon for Temperatures up to 104.4 Degrees Celsius (220 F), Length of 152.4mm (6.0 Inches), Width of 19.05mm (0.75 Inch), Thickness of 1.588mm (0.0625 Inch), Tensile Strength Rating of 222.5 Newtons (50 Pounds)

Ordering

EAN	5414363022039
UPC	786210712253
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions

Product Net Width	0.75 in 19.5 mm
-------------------	--------------------

Product Net Depth /	6 in
Length	152.4 mm

Container Information

Package Level 1 Units	10 EA
Package Level 1 Width	0 mm
	0 in
Package Level 1 Height	0 mm
	0 in
Package Level 1 Depth /	0 mm
Length	0 in
Package Level 2 Units	100 EA
Package Level 2 Width	210.82 mm
	8.3 in
Package Level 2 Height	203.2 mm
	8 in
Package Level 2 Depth /	217.17 mm
Length	8.55 in

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Technical UL/CSA

Flammability According to	HB
UL94	

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	Max 1.5 in
	Max 38.1 mm
Color	Black
Effective Date	19970806
Lock Type	Velcro Fastener
Material	Polyethylene/Nylon
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	Hook and Loop
Special Functions	Enables quick and convenient bundling of data and fiber optic cables.
Tensile Strength	50 lb
	222 N
Thickness	0.0625 in
	1.588 mm

Certificates and Declarations

Data Sheet, Technical	FOS150-50-0
Information	

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie

UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5047 >> Velcro Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

