



PRODUCT-DETAILS

GSB430

TWO-PIECE INNER SLV CONN RED RND



General Information	
Extended Product Type	GSB430
Product ID	7TAI029060R0005
EAN	5414363113898
Catalog Description	TWO-PIECE INNER SLV CONN RED RND
Long Description	Two Piece Inner Sleeve Connector for Round Range, Length 11.2mm, Inner Diameter 10.92mm, Outer Diameter 12.70mm, Color Red, Copper Alloy

Ordering	
EAN	5414363113898
UPC	786210813295
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	50 EA

Package Level 1 Width	76.2 mm 3 in
Package Level 1 Height	96.52 mm 3.8 in
Package Level 1 Depth / Length	127 mm 5 in
Package Level 2 Units	250 EA
Package Level 2 Width	177.8 mm 7 in
Package Level 2 Height	247.65 mm 9.75 in
Package Level 2 Depth / Length	79.375 mm 3.125 in

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Brand / Label	Sta-Kon
Color	Red
Effective Date	19680424
Material	Copper
Product Name	Other
Product Type	Two-Piece Inner Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Circular Range (the corresponding outer sleeve is crimped with a hydraulic head and the result is a circular-shaped crimp), for grounding multiple or overall shielded cables. The sleeves are color coded according to their size. Applications in communications, aerospace, and electronics.
Sub Brand / Label	Shield-Kon

Certificates and Declarations

Data Sheet, Technical Information	GSB430
-----------------------------------	--------

Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
ETIM 8	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

