



PRODUCT-DETAILS

GSB810

TWO-PIECE INNER SLV CONN BROWN RND



General Information	
Extended Product Type	GSB810
Product ID	7TAI029070R0037
EAN	5414363114253
Catalog Description	TWO-PIECE INNER SLV CONN BROWN RND
Long Description	Two Piece Inner Sleeve Connector for Round Range, Length 11.2mm, Inner Diameter 20.57mm, Outer Diameter 22.35mm, Color Brown, Copper Alloy

Ordering	
EAN	5414363114253
UPC	786210813325
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	50 EA

Package Level 1 Width	76.2 mm 3 in
Package Level 1 Height	88.9 mm 3.5 in
Package Level 1 Depth / Length	76.2 mm 3 in
Package Level 2 Units	250 EA
Package Level 2 Width	177.8 mm 7 in
Package Level 2 Height	247.65 mm 9.75 in
Package Level 2 Depth / Length	79.375 mm 3.125 in

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Brand / Label	Sta-Kon
Color	Brown
Effective Date	19680424
Material	Copper
Product Name	Other
Product Type	Two-Piece Inner Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Circular Range (the corresponding outer sleeve is crimped with a hydraulic head and the result is a circular-shaped crimp), for grounding multiple or overall shielded cables. The sleeves are color coded according to their size. Applications in communications, aerospace, and electronics.
Sub Brand / Label	Shield-Kon

Certificates and Declarations

Data Sheet, Technical Information	GSB810
-----------------------------------	--------

Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
ETIM 8	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

