



PRODUCT-DETAILS

GSC590

2-PC OUTER SLV CONN RED RND 0.194



General Information	
Extended Product Type	GSC590
Product ID	7TAI029060R0020
EAN	5414363114901
Catalog Description	2-PC OUTER SLV CONN RED RND 0.194
Long Description	Two Piece Outer Sleeve Connector for Round Range, Length 15.2mm, Inner Diameter 14.99mm, Outer Diameter 17.02mm, Color Red, Copper Alloy

Ordering	
EAN	5414363114901
UPC	786210814070
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	50 EA

Package Level 1 Width	76.2 mm 3 in
Package Level 1 Height	88.9 mm 3.5 in
Package Level 1 Depth / Length	76.2 mm 3 in
Package Level 2 Units	250 EA
Package Level 2 Width	177.8 mm 7 in
Package Level 2 Height	247.65 mm 9.75 in
Package Level 2 Depth / Length	79.375 mm 3.125 in

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Brand / Label	Sta-Kon
Color	Red
Effective Date	19680424
Material	Copper
Product Name	Other
Product Type	Two-Piece Outer Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Circular Range (the corresponding outer sleeve is crimped with a hydraulic head and the result is a circular-shaped crimp), for grounding multiple or overall shielded cables. The sleeves are color coded according to their size. Applications in communications, aerospace, and electronics.
Sub Brand / Label	Shield-Kon

Certificates and Declarations

Data Sheet, Technical Information	GSC590
-----------------------------------	--------

Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
ETIM 8	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

