



PRODUCT-DETAILS

GYS125-E-D

SHRINK-KON BOX 11,5M GREEN/YELLOW



General Information	
Extended Product Type	GYS125-E-D
Product ID	7TCA017300R0263
EAN	5414363103844
Catalog Description	SHRINK-KON BOX 11,5M GREEN/YELLOW
Long Description	Flexible Green/Yellow Heat Shrink Tubing 1/8 Inch, Boxed 11.5M, Shrink Ratio 3:1, Thin Walled, Material - Crosslinked Polyolefin, Item is Silicone, Cadmium and Lead Free

Ordering	
E-Number (Finland)	5211278
EAN	5414363103844
UPC	786210538105
Country of Origin	United Kingdom (GB)
Selling Unit of Measure	each

Dimensions	
------------	--

Product Net Depth /	37.73 ft
Length	11.5 m

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	2.4 in
	61 mm
Package Level 1 Height	6.7 in
	170 mm
Package Level 1 Depth /	6.7 in
Length	170 mm
Package Level 2 Units	60 piece
Package Level 2 Width	15.8 in
	401 mm
Package Level 2 Height	22.5 in
	572 mm
Package Level 2 Depth /	20.9 in
Length	531 mm

Additional Information

Brand / Label	Shrink-Kon
Color	Green/Yellow
Effective Date	19980621
Flammability Hazard	Flame Retardant
Rating	
Process Temperature	-67 to +275 °F
Rating	-55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK108466A3882
Shrink Ratio	3:1
Shrink Temperature	194 °F
	90 °C
Thickness	Thin

Certificates and Declarations

Data Sheet, Technical	GYS125-E-D
Information	

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category	5073 >> Heat shrinkable tube
Code (IGCC)	

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

