



PRODUCT-DETAILS

# GYS125-E-E

## SHRINK-KON REEL 150M GREEN/YELLOW



| General Information   |                                                                                                                                                                               |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | GYS125-E-E                                                                                                                                                                    |
| Product ID            | 7TCA017300R0264                                                                                                                                                               |
| EAN                   | 5414363103851                                                                                                                                                                 |
| Catalog Description   | SHRINK-KON REEL 150M GREEN/YELLOW                                                                                                                                             |
| Long Description      | Flexible Green/Yellow Heat Shrink Tubing 1/8 Inch, 150M, Shrink Ratio 3:1, Thin Walled, Material - Crosslinked Polyolefin, Item is Silicone, Cadmium and Lead Free, Mini-Reel |

| Ordering                |               |
|-------------------------|---------------|
| EAN                     | 5414363103851 |
| UPC                     | 786210808093  |
| Country of Origin       | Germany (DE)  |
| Selling Unit of Measure | roll          |

| Dimensions                 |                   |
|----------------------------|-------------------|
| Product Net Depth / Length | 492.1 ft<br>150 m |

| Container Information          |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 1 reel            |
| Package Level 1 Width          | 15.4 in<br>391 mm |
| Package Level 1 Height         | 2.6 in<br>66 mm   |
| Package Level 1 Depth / Length | 15.4 in<br>391 mm |

| Additional Information     |                                  |
|----------------------------|----------------------------------|
| Brand / Label              | Shrink-Kon                       |
| Color                      | Green/Yellow                     |
| Effective Date             | 20020102                         |
| Flammability Hazard Rating | Flame Retardant                  |
| Process Temperature Rating | -67 to +275 °F<br>-55 to +135 °C |
| Product Name               | PLASTIC CONDUIT                  |
| Product Type               | Thin-Wall Heat Shrinkable Tubing |
| RoHS Date                  | 9AKK108466A3882                  |
| Shrink Ratio               | 3:1                              |
| Shrink Temperature         | 194 °F<br>90 °C                  |
| Thickness                  | Thin                             |

| Certificates and Declarations     |            |
|-----------------------------------|------------|
| Data Sheet, Technical Information | GYS125-E-E |

| Classifications                    |                              |
|------------------------------------|------------------------------|
| ETIM 6                             | EC000217 - Shrink tubing     |
| ETIM 7                             | EC000217 - Shrink tubing     |
| ETIM 8                             | EC000217 - Shrink tubing     |
| UNSPSC                             | 39121723                     |
| WEEE Category                      | Product Not in WEEE Scope    |
| IDEA Granular Category Code (IGCC) | 5073 >> Heat shrinkable tube |

---

**Categories**

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

