

PRODUCT-DETAILS

GYS750-E-A SHRINK-KON BOX 10X1,2M GREEN/YELLO



GYS750-E-A
7TCA017300R0280
5414363103974
SHRINK-KON BOX 10X1,2M GREEN/YELLO
Flexible Green/Yellow Heat Shrink Tubing 3/4 Inch, 1.22m Lengths X 25, Shrink Ratio 3:1, Thin Walled, Material - Crosslinked Polyolefin, Item is Silicone, Cadmium and Lead Free
5211276
5414363103974
786210619309
United Kingdom (GB)

Product Net Depth /

Length

4 ft 1.22 m GYS750-E-A 2/3

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Width	4.1 in 104 mm
Package Level 1 Height	4.2 in 107 mm
Package Level 1 Depth / Length	49.3 in 1252 mm

Brand / Label	Shrink-Kor
Color	Green/Yellow
Effective Date	19980621
Flammability Hazard Rating	Flame Retardan
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK108466A3882
Shrink Ratio	3:1
Shrink Temperature	194 °F 90 °C
Thickness	Thir

Certificates and Declarations	
Data Sheet, Technical	GYS750-E-A
Information	

Classifications	
ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Identification\ \&\ Heat\ Shrink\ Analysis of the Connectivity\ \rightarrow\ Identification\ \&\ Heat\ Shrink\ Analysis\ Analysi$

