



PRODUCT-DETAILS**JENQ-M508-14****PMAOXC Fitting,CAP V4A,M50,NW48**

General Information

| | |
|-----------------------|--|
| Extended Product Type | JENQ-M508-14 |
| Product ID | 7TCA292000R0468 |
| EAN | 7630031218155 |
| Catalog Description | PMAOXC Fitting,CAP V4A,M50,NW48 |
| Long Description | Hygienic Conduit Fitting for Overextruded Conduit, Straight with External Male Thread, Conduit Size NW48, M50x1.5 Thread, Thread Length 14 Millimeters, IP68, IP69 Rating, Outer Layer 316 Stainless Steel, Inner Layer 303 Stainless Steel, Seal Elastomer, Metallic with Blue Seal |

Additional Information

| | |
|--------------|--|
| Application | For Food Zone, Non Contact Application Areas |
| Product Type | Straight Fitting |

Ordering

| | |
|-----|---------------|
| EAN | 7630031218155 |
| UPC | 786210180465 |

Technical

| | |
|---------------------|-------------------|
| Number of Batteries | 0 |
| Color | Metallic |
| Material | Stainless Steel |
| Size | NW48 , M50 Thread |

Environmental

| | |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|

Container Information

| | |
|-----------------------------------|-----------------|
| Package Level 1 Units | 1 EA |
| Package Level 1 Height | 25.4 mm 1 in |
| Package Level 1 Depth / Length | 25.4 mm 1 in |
| Package Level 1 Width | 25.4 mm 1 in |

Certificates and Declarations

| | |
|--------------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK107045A1567 |
| Instructions and Manuals | JENQ-M508-14 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

Classifications

| | |
|--------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

