




PRODUCT-DETAILS

JRA/S 2.230.2.1

JRA/S2.230.2.1 Blind/Roller Shutter Act, 2-f, 230 V AC, Manual Operation, MDRC



General Information	
Extended Product Type	JRA/S 2.230.2.1
Product ID	2CDG110120R0011
EAN	4016779698399
Catalog Description	JRA/S2.230.2.1 Blind/Roller Shutter Act, 2-f, 230 V AC, Manual Operation, MDRC
Long Description	For the control of independent 230 V AC drives via ABB i-bus® KNX. The devices are designed for positioning blinds, roller shutters, awnings and other shading products as well as for controlling doors, windows and ventilation flaps. Additional auxiliary voltage is not needed. To protect the drives, the output contacts are electromechanically locked against each other. Push buttons are located at the front of the device to control the outputs e.g. during commissioning. The current status of the output is displayed via LEDs.
Installation	
Instructions and Manuals	2CDG941080P0004
Mounting Type	DIN-Rail

Technical		
Data Sheet, Technical Information	2CDC506040D0201	
	2CDC506063D0202	
Special Functions		Switching
Number of Outputs		2
Number of LEDs		1
Compatible Bus Systems		KNX (TP)
Product Range		KNX
Manual Operation		Yes
Number of Batteries		0

Electrical		
Current Type		AC
Voltage Range		230 V AC
Output Voltage (U _{out})		230 V AC
Maximum Switching Current		6 A
Maximum Switching Power		2400 W
Power Loss		0.25 W

Design		
Color		light grey

Material Compliance		
RoHS Information		2CDG510126-0100
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment	
REACH Declaration		9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage	
Conflict Minerals Reporting Template (CMRT)		9AKK108468A3363

Environmental		
Degree of Protection		IP20

Dimensions		
Width in Number of Modular Spacings		4
Product Net Width		72 mm
Product Net Height		90 mm
Product Net Depth / Length		64.5 mm
Product Net Weight		0.205 kg
Built-In Depth (t ₂)		64.5 mm
Dimension Diagram		2CDC072033F0015

Certificates and Declarations	
CB Certificate	9AKK107991A3191
Declaration of Conformity - CE	2CDK506046D2701
KNX Certificate	9AKK105710A0053

Classifications	
ETIM 9	EC001330 - Shutting actuator for bus system
eClass	V11.0 : 27143128
UNSPSC	39121801
Object Classification Code	A
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Accessories				
Identifier	Description	Type	Quantity	Unit Of Measure
GHQ6310084R0111	JSB/S1.1 Shutter Control Unit, MDRC	JSB/S 1.1	1	piece

Categories
Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → Shading Control → Blind Actuators 230 V AC

