




PRODUCT-DETAILS

JRA/S4.230.2.1

JRA/S4.230.2.1 Blind/Roller Shutter Act 4-f,
230 V AC, Manual Operation, MDRC



General Information	
Extended Product Type	JRA/S4.230.2.1
Product ID	2CDG110121R0011
EAN	4016779698405
Catalog Description	JRA/S4.230.2.1 Blind/Roller Shutter Act 4-f, 230 V AC, Manual Operation, MDRC
Long Description	For the control of independent 230 V AC drives via ABB i-bus® KNX. The devices are designed for positioning blinds, roller shutters, awnings and other shading products as well as for controlling doors, windows and ventilation flaps. Additional auxiliary voltage is not needed. To protect the drives, the output contacts are electromechanically locked against each other. Push buttons are located at the front of the device to control the outputs e.g. during commissioning. The current status of the output is displayed via LEDs.
Installation	
Instructions and Manuals	2CDG941080P0004
Mounting Type	DIN-Rail

Technical		
Data Sheet, Technical Information	2CDC506040D0201	
	2CDC506063D0202	
Special Functions	Switching	
Number of Outputs	4	
Number of LEDs	1	
Compatible Bus Systems	KNX (TP)	
Product Range	KNX	
Manual Operation	Yes	
Number of Batteries	0	

Electrical		
Current Type	AC	
Voltage Range	230 V AC	
Output Voltage (U _{out})	230 V AC	
Maximum Switching Current	0.7 A	
Maximum Switching Power	2400 W	
Power Loss	0.25 W	

Design		
Color	light grey	

Material Compliance		
RoHS Information	2CDG510127-0100	
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment	
REACH Declaration	9AKK108468A9644	
REACH Information	False - does not contains substances > 0.1 mass percentage	
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363	
SCIP	f01e1dea-cf98-4f39-99fb-26bd1168f764 Germany (DE)	

Environmental		
Degree of Protection	IP20	

Dimensions		
Width in Number of Modular Spacings	4	
Product Net Width	72 mm	
Product Net Height	90 mm	
Product Net Depth / Length	64.5 mm	
Product Net Weight	0.22 kg	
Built-In Depth (t ₂)	64.5 mm	

Certificates and Declarations

CB Certificate	9AKK107991A3191
Declaration of Conformity - CE	2CDK506045D2701
KNX Certificate	9AKK105710A0056

Classifications

ETIM 9	EC001330 - Shutting actuator for bus system
eClass	V11.0 : 27143128
UNSPSC	39121801
Object Classification Code	A
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
GHQ6310084R0111	JSB/S1.1 Shutter Control Unit, MDRC	JSB/S 1.1	1	piece

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → Shading Control → Blind Actuators 230 V AC



360°