6122/02-885-500 1/3



PRODUCT-DETAILS

6122/02-885-500

Horizontal 0 ... 180 ° Solo black matt



General Information	
Extended Product Type	6122/02-885-500
Product ID	2CKA006132A0293
EAN	4011395140703
Catalog Description	Horizontal 0 180 ° Solo black matt
Long Description	For ABB i-bus® KNX 6120/12-101, 6120/13. Movement detector with up to 4 channels. Incl. 10 logic channels (light scene actuator, seguence actuator, logic gates, etc.).

Installation	
Instructions and Manuals	2CKA000173B7414
Mounting Type	Flush Mounted
Mounting Position	vertical
Mounting Height	Optimum 0.8 1.2 m

Technical	
Data Sheet, Technical Information	DEBJE-th_KNX_Bedienelemente_ABB_FR_V1-Spec
Measuring Range	6 m

6122/02-885-500 2/3

Number of Channels	4					
Compatible Bus Systems	KNX (TP)					
Product Range	KNX					
Minimum Switching Time	Switch-On 10 second [unit of tir				Switch-On 10 second [unit of ti	
Number of Batteries						
Design						
Design Range	63x63					
200gii idiigo	future linear Busch-axcent Busch-axcent pur carat					
Surface Finishing	Untreated Glossy					
Material	Thermoplastic					
RAL Number	RAL 9005 - Jet Black					
Color	black matt					
M. I. C. I. C. I.						
Material Compliance	00//1000005					
RoHS Information	2CKA200000E4491					
RoHS Status REACH Declaration	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CKA309999E9999					
REACH Information	False - does not contains substances > 0.1 mass percentage					
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363					
Environmental Ambient Air Temperature Degree of Protection	Operation -5 +45 °C					
Dimensions						
Product Net Width	63 mm					
Product Net Height	63 mm					
Product Net Depth / Length	40 mm					
Product Net Weight	35 g					
Built-In Depth (t ₂)	33 mm					
Certificates and Declarations						
Declaration of Conformity - CE	2CKA100000E1019					
Classifications						
ETIM 9	EC001582 - Movement sensor for bus system					
eClass	V11.0 : 27143144					
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)					
WEEE B2C / B2B	Business To Consumer					

6122/02-885-500 3/3

Accessories						
Identifier	Description	Туре	Quantity	Unit Of Measure		
2CKA006120A0075	6120/12-101-500 Bus coupler, FM	6120/12-101- 500	1	piece		
2CKA006120A0072	6120/13-500 Power bus coupler, FM	6120/13-500	1	piece		

Categories

Low Voltage Products and Systems \rightarrow Building and Home Automation Solutions \rightarrow KNX \rightarrow Presence Detection \rightarrow Motion Detectors Low Voltage Products and Systems \rightarrow Building and Home Automation Solutions \rightarrow KNX \rightarrow Presence Detection \rightarrow Presence Detectors Low Voltage Products and Systems \rightarrow Building and Home Automation Solutions \rightarrow KNX \rightarrow User Operation \rightarrow Busch-balance SI / Basic 55 for Push Button Coupling Units \rightarrow Motion Detectors

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow Reflex\ SI\ /\ Busch-Duro\ 2000SI\ for\ Push\ Button\ Coupling\ Units \rightarrow Motion\ Detectors$

Low Voltage Products and Systems \rightarrow Building and Home Automation Solutions \rightarrow KNX \rightarrow User Operation \rightarrow Solo \rightarrow Motion Detectors Low Voltage Products and Systems \rightarrow Building and Home Automation Solutions \rightarrow KNX \rightarrow User Operation \rightarrow Solo / Alpha for Push Button Coupling Units \rightarrow Motion Detectors

