



PRODUCT-DETAILS

6320/10-24G-500
6320/10-24G-500 triton 1/2gang MF/IR



General Information	
Extended Product Type	6320/10-24G-500
Product ID	2CKA006320A0004
EAN	4011395138731
Catalog Description	6320/10-24G-500 triton 1/2gang MF/IR
Long Description	With integrated KNX bus coupler. With labelling field. Transparent labelling sheet with standard symbols included in delivery. Rocker switch left/right (switching/dimming/blind/value sender/light scenes/fan function).

Installation	
Instructions and Manuals	DEBJE-ba_73_1_7426_6320-500-Man
Mounting Type	Flush Mounted

Technical	
Data Sheet, Technical Information	2CKA001473B8838

Number of Actuation Points	1
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Number of Batteries	0

Design

Surface Finishing	Untreated Glossy
Material	Thermoplastic
RAL Number	RAL 9016 - Traffic White
Color	studio white

Material Compliance

RoHS Information	2CKA200000E5607
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CKA309999E9999
REACH Information	True - contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	Operation -5 ... +45 °C
Degree of Protection	IP20

Dimensions

Product Net Width	90 mm
Product Net Height	84 mm
Product Net Depth / Length	33 mm
Product Net Weight	59 g
Built-In Depth (t ₂)	10 mm

Certificates and Declarations

Declaration of Conformity - CE	2CKA100000E1511
--------------------------------	-----------------

Classifications

ETIM 9	EC000672 - Touch sensor for bus system
eClass	V11.0 : 27143138
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → User Operation → Busch-triton® → 1/2 fold

