6320/50-20-500 1/3



PRODUCT-DETAILS

## 6320/50-20-500 6320/50-20-500 triton 5/10gang MF/IR



General Information	
Extended Product Type	6320/50-20-500
Product ID	2CKA006320A0032
EAN	4011395139110
Catalog Description	6320/50-20-500 triton 5/10gang MF/IR
Long Description	With integrated KNX bus coupler. With labelling field. Rocker switch left/right (switching/dimming/blind/value sender/light scenes/fan function).
Installation	
Instructions and Manuals	DEBJE-ba_73_1_7426_6320-500-Man
Mounting Type	Flush Mounted
Technical	
Data Sheet, Technical Information	2CKA001473B8838
Number of Buttons	5
Number of Actuation	10

6320/50-20-500 2/3

0 "1 0 0 .	IAIN (TD)
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Number of Batteries	0
Design	
Surface Finishing	Lacquered Matt
Material	Thermoplastic
Color	platinum
Material Compliance	
RoHS Information	2CKA200000E5625
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CKA30999E9999
REACH Information	True - contains substances > 0.1 mass percentage
Conflict Minerals	9AKK108468A3363
Reporting Template (CMRT)	
Environmental	
Ambient Air Temperature	Operation -5 +45 °C
Degree of Protection	IP20
Dimensions	
Product Net Width	90 mm
Product Net Height	159 mm
Product Net Depth /	33 mm
Length	
Product Net Weight	221 g
Built-In Depth (t <sub>2</sub> )	10 mm
Certificates and Declarations	
	2CKA100000E1530
Declaration of Conformity  - CE	2CKA100000E1550
Classifications	
ETIM 9	EC000672 - Touch sensor for bus system
eClass	V11.0 : 27143138
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

6320/50-20-500 3/3

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow Busch-triton \\ @ \rightarrow 5/10\ fold\ Systems \rightarrow 5/1$ 

