



PRODUCT-DETAILS

KYN250-C-A
SHRINK-KON BOX 10X1,22M TRANSPARENT



General Information	
Extended Product Type	KYN250-C-A
Product ID	7TCA017300R0405
EAN	5414363104681
Catalog Description	SHRINK-KON BOX 10X1,22M TRANSPARENT
Long Description	Heat Shrink Tubing, Semi Rigid, Transparent, 10 pieces X 1.22M, 6.4mm Diameter, CrossLinked and Rigid Polyvinylidene Fluoride, Thin Walled, Item is Silicone, Cadmium and Lead Free

Ordering	
EAN	5414363104681
UPC	786210842721
Country of Origin	Germany (DE)
Selling Unit of Measure	each

Dimensions	
Product Net Depth / Length	4 ft 1.22 m

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Width	4.1 in 104 mm
Package Level 1 Height	4.2 in 107 mm
Package Level 1 Depth / Length	49.3 in 1252 mm

Additional Information	
Brand / Label	Shrink-Kon
Color	Transparent
Effective Date	20020503
Process Temperature Rating	-67 to +347 °F -55 to +175 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
Shrink Ratio	2:1
Shrink Temperature	347 °F 175 °C
Thickness	Thin

Certificates and Declarations	
Data Sheet, Technical Information	KYN250-C-A

Classifications	
ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories	
Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink	

