KYN375-C-A 1/3



PRODUCT-DETAILS

## **KYN375-C-A**

## SHRINK-KON BOX 10X1,22M TRANSPARENT

<b>General Information</b>		
Extended Product Type	KYN375-C-A	
Product ID	7TCA017300R0407	
EAN	5414363104698	
Catalog Description	SHRINK-KON BOX 10X1,22M TRANSPARENT	
Long Description	Heat Shrink Tubing, Semi Rigid, Transparent, 10 pieces X 1.22M, 9.5mm Diameter, CrossLinked and Rigid Polyvinylidene Fluoride, Thin Walled, Item is Silicone, Cadmium and Lead Free	

Ordering	
EAN	5414363104698
UPC	786210842738
Country of Origin	Germany (DE)
Selling Unit of Measure	each

## **Dimensions**

Product Net Depth / 4 ft

KYN375-C-A 2/3

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Width	4.1 in 104 mm
Package Level 1 Height	4.2 in 107 mm
Package Level 1 Depth / Length	49.3 in 1252 mm

Additional Information	
Brand / Label	Shrink-Kon
Color	Transparent
Effective Date	20020503
Process Temperature	-67 to +347 °F
Rating	-55 to +175 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
Shrink Ratio	2:1
Shrink Temperature	347 °F
	175 °C
Thickness	Thin

Certificates and Declarations		
Data Sheet, Technical	KYN375-C-A	
Information		

Classifications	
ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

KYN375-C-A 3/3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Identification\ \&\ Heat\ Shrink$