



PRODUCT-DETAILS

KYN46-C-A

SHRINK-KON BOX 25X1,22M TRANSPARENT



General Information	
Extended Product Type	KYN46-C-A
Product ID	7TCA017300R0409
EAN	5414363104704
Catalog Description	SHRINK-KON BOX 25X1,22M TRANSPARENT
Long Description	Heat Shrink Tubing, Semi Rigid, Transparent, 25 pieces X 1.22M, 1.2mm Diameter, CrossLinked and Rigid Polyvinylidene Fluoride, Thin Walled, Item is Silicone, Cadmium and Lead Free

Ordering	
EAN	5414363104704
UPC	786210842646
Country of Origin	Germany (DE)
Selling Unit of Measure	each

Dimensions	
Product Net Depth /	4 ft

Length	1.22 m
--------	--------

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	4.1 in 104 mm
Package Level 1 Height	4.2 in 107 mm
Package Level 1 Depth / Length	49.3 in 1252 mm

Additional Information

Brand / Label	Shrink-Kon
Color	Transparent
Effective Date	20020503
Process Temperature	-67 to +347 °F
Rating	-55 to +175 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
Shrink Ratio	2:1
Shrink Temperature	347 °F 175 °C
Thickness	Thin

Certificates and Declarations

Data Sheet, Technical Information	KYN46-C-A
-----------------------------------	-----------

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

