



PRODUCT-DETAILS

# LFH-SPL16/10M

## LOW FIR.HAZ.LIQ.TIGHT NC16 10MT BLK



| General Information   |                                                                                                                                                                                                                                                           |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | LFH-SPL16/10M                                                                                                                                                                                                                                             |
| Product ID            | 7TCA296030R0401                                                                                                                                                                                                                                           |
| EAN                   | 5020963800689                                                                                                                                                                                                                                             |
| Catalog Description   | LOW FIR.HAZ.LIQ.TIGHT NC16 10MT BLK                                                                                                                                                                                                                       |
| Long Description      | Liquid Tight, Low Fire Hazard, Medium Flexibility Conduit, 3/8 Inch, Nominal Conduit Size 16mm, Outside Diameter 17.0mm, Inside Diameter 13.0mm, Static Bend Radius 50mm, Galvanised Steel Core with Low Fire Hazard Jacket, Reel Length 10 Meters, Black |

| Additional Information |                                                                   |
|------------------------|-------------------------------------------------------------------|
| Application            | Rail, Buildings - Where Low Smoke & Toxicity is a Primary Concern |
| Product Type           | Low Fire Hazard Conduit                                           |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963800689 |
| UPC      | 786210289670  |

| Dimensions                 |      |
|----------------------------|------|
| Product Net Depth / Length | 10 m |

| Technical           |                                                   |
|---------------------|---------------------------------------------------|
| Number of Batteries | 0                                                 |
| Color               | Black                                             |
| Material            | Galvanized Steel Core with Low Fire Hazard Jacket |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                 |
|--------------------------------|-----------------|
| Package Level 1 Units          | 1 piece         |
| Package Level 1 Height         | 4 in<br>102 mm  |
| Package Level 1 Depth / Length | 16 in<br>406 mm |
| Package Level 1 Width          | 16 in<br>406 mm |

| Certificates and Declarations     |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | LFH-SPL16/10M   |
| Instructions and Manuals          | LFH-SPL16/10M   |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

| Classifications |                                     |
|-----------------|-------------------------------------|
| ETIM 8          | EC001179 - Protective metallic hose |
| UNSPSC          | 39131706                            |

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available