



PRODUCT-DETAILS

**LFH-SPL40/10M**  
**LOW FIR.HAZ.LIQ.TIGHT NC40 10MT BLK**



Product image  
not available

| General Information   |                                                                                                                                                                                                                                                  |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | LFH-SPL40/10M                                                                                                                                                                                                                                    |
| Product ID            | 7TCA296030R0409                                                                                                                                                                                                                                  |
| EAN                   | 5020963800764                                                                                                                                                                                                                                    |
| Catalog Description   | LOW FIR.HAZ.LIQ.TIGHT NC40 10MT BLK                                                                                                                                                                                                              |
| Long Description      | Liquid Tight, Low Fire Hazard, Medium Flexibility Conduit, Nominal Conduit Size 40mm, Outside Diameter 44.5mm, Inside Diameter 37.7mm, Static Bend Radius 180mm, Galvanised Steel Core with Low Fire Hazard Jacket, Reel Length 10 Meters, Black |

| Additional Information |                                                                   |
|------------------------|-------------------------------------------------------------------|
| Application            | Rail, Buildings - Where Low Smoke & Toxicity is a Primary Concern |
| Product Type           | Low Fire Hazard Conduit                                           |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963800764 |
| UPC      | 786210289588  |

|                            |      |
|----------------------------|------|
| <b>Dimensions</b>          |      |
| Product Net Depth / Length | 10 m |

|                     |                                                   |
|---------------------|---------------------------------------------------|
| <b>Technical</b>    |                                                   |
| Number of Batteries | 0                                                 |
| Color               | Black                                             |
| Material            | Galvanized Steel Core with Low Fire Hazard Jacket |

|                      |                           |
|----------------------|---------------------------|
| <b>Environmental</b> |                           |
| WEEE Category        | Product Not in WEEE Scope |

|                                |                    |
|--------------------------------|--------------------|
| <b>Container Information</b>   |                    |
| Package Level 1 Units          | 1 piece            |
| Package Level 1 Height         | 9.37 in<br>238 mm  |
| Package Level 1 Depth / Length | 19.25 in<br>489 mm |
| Package Level 1 Width          | 19.25 in<br>489 mm |

|                                      |                 |
|--------------------------------------|-----------------|
| <b>Certificates and Declarations</b> |                 |
| Data Sheet, Technical Information    | LFH-SPL40/10M   |
| Instructions and Manuals             | LFH-SPL40/10M   |
| Declaration of Conformity - CE       | 9AKK107492A9618 |
| RoHS Information                     | 9AKK107992A8994 |
| RoHS Date                            | 9AKK107992A8994 |
| REACH Declaration                    | 9AKK107992A8994 |

|                        |                                     |
|------------------------|-------------------------------------|
| <b>Classifications</b> |                                     |
| ETIM 8                 | EC001179 - Protective metallic hose |
| UNSPSC                 | 39131706                            |

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available