LT65-30 1/3



PRODUCT-DETAILS

LT65-30

LT65-30 Terminal Shroud



| General Information | |
|-----------------------|--|
| Extended Product Type | LT65-30 |
| Product ID | 1SBN123401R1000 |
| EAN | 3471523131187 |
| Catalog Description | LT65-30 Terminal Shroud |
| Long Description | LT65-30 a terminal shroud designed to protect the main terminals of an AF(S)4065, against accidental direct contact and to provide a comprehensive IP 20 degree of protection. Designed for rigid cables or flexible cables with insulated ferrules including a stripping length ≥ 18 mm. • Safety and protection: make your installation safe, using a compact IP20 protection on the main terminals of a 3-pole AF contactor • Easy to install: save time thanks to a compact design and a fast clipping on each top and bottom parts of the contactors. |

| Ordering | |
|------------------------|----------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 39211200 |

LT65-30 2/3

| Popular Downloads | |
|-----------------------------|-----------------|
| Instructions and Manuals | 1SBC101050M6801 |
| CAD Dimensional | 2CDC001079B0201 |
| Drawing | |

| Dimensions | |
|-------------------------------|----------|
| Product Net Width | 54.5 mm |
| Product Net Depth / Length | 73 mm |
| Product Net Height | 27 mm |
| Product Net Weight | 0.015 kg |

| Technical | |
|----------------------|--|
| Degree of Protection | acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 |
| Suitable For | AF40 |
| | AF52 |
| | AF65 |
| | AFS40 |
| | AFS52 |
| | AFS65 |

| Material Compliance | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2021-006202 |
| RoHS Information | 2CMT2021-006277 |
| WEEE B2C / B2B | Business To Business |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

| Certificates and Declarations | |
|-------------------------------------|-----------------|
| Declaration of Conformity - CE | 1SBD250060U1000 |
| Declaration of Conformity - UKCA | 1SBD250061U1000 |

| Container Information | |
|---------------------------------|---------------|
| Package Level 1 Units | bag 1 piece |
| Package Level 1 Width | 125 mm |
| Package Level 1 Depth / Length | 180 mm |
| Package Level 1 Height | 40 mm |
| Package Level 1 Gross Weight | 0.016 kg |
| Package Level 1 EAN | 3471523131187 |
| Package Level 2 Units | 25 piece |
| Package Level 2 Gross Weight | 0.4 kg |

LT65-30 3/3

Package Level 3 Units 2400 piece

| Classifications | |
|---------------------------------------|--|
| ETIM 4 | EC002498 - Accessories for low-voltage switch technology |
| ETIM 5 | EC002498 - Accessories for low-voltage switch technology |
| ETIM 6 | EC002498 - Accessories for low-voltage switch technology |
| ETIM 7 | EC002498 - Accessories for low-voltage switch technology |
| ETIM 8 | EC002498 - Accessories/spare parts for low-voltage switch technology |
| eClass | V11.1: 27371392 |
| UNSPSC | 39122221 |
| IDEA Granular Category Code (IGCC) | 5219 >> Switch part or accessory |

Categories

 $\textbf{Low Voltage Products and Systems} \rightarrow \textbf{Control Products} \rightarrow \textbf{Contactors} \rightarrow \textbf{Block Contactors}$

