LTAES05G-B 1/3



PRODUCT-DETAILS

LTAES05G-B LFMC ALUM 1-1/4IN GRY 15M/50FT



General Information	
Extended Product Type	LTAES05G-B
Product ID	7TAA012LB0R0004 5415022389715
EAN	
Catalog Description	LFMC ALUM 1-1/4IN GRY 15M/50FT
Long Description	Liquid Tight Flexible Metallic Conduit, Aluminum Core with PVC Jacket, Conduit Size 1-1/4 Inch, Length 15 Meters/50 Feet, Working Temperature -20 to 80 Degrees C, Compliant to RoHS, Gray
Additional Information	
Application	For Use in Corrosive Environments
Product Type	Liquid Tight Flexible Metallic Conduit
Ordering	
EAN	5415022389715
UPC	786210105246

LTAES05G-B 2/3

Dimensions	
Product Net Depth /	50 ft
Length	15 m
Technical	
Number of Batteries	
Color	Gray
Material	Aluminum
Environmental	
WEEE Category	Product Not in WEEE Scope
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Container Information	
Package Level 1 Units	50 f
Package Level 1 Height	209.55 mm 8.25 ir
Package Level 1 Depth / Length	641.35 mm 25.25 ir
Package Level 1 Width	622.3 mm 24.5 ir
Certificates and Declarations	
Data Sheet, Technical Information	TDS000117
Instructions and Manuals	LTAES05G-E
Declaration of Conformity - CE	9AKK107492A9897
Olara ifi anti-una	
Classifications ETIM 8	EC001179 - Protective metallic hose

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Liquidtight\ Fittings$

LTAES05G-B 3/3

