




PRODUCT-DETAILS

LTGES03G-C

LFMC GP 3/4IN GRY 30M/100FT



| General Information   |                                                                                                                                                                                                                     |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | LTGES03G-C                                                                                                                                                                                                          |
| Product ID            | 7TAA012LS0R0002                                                                                                                                                                                                     |
| EAN                   | 5415022391855                                                                                                                                                                                                       |
| Catalog Description   | LFMC GP 3/4IN GRY 30M/100FT                                                                                                                                                                                         |
| Long Description      | Liquid Tight Flexible Metallic Conduit, General Purpose, Galvanised Steel Core with PVC Jacket, Conduit Size 3/4 Inch, Length 30 Meters/100 Feet, Working Temperature - 20 to 80 Degrees C, Compliant to RoHS, Gray |

| Additional Information |                                        |
|------------------------|----------------------------------------|
| Application            | General Purpose                        |
| Product Type           | Liquid Tight Flexible Metallic Conduit |

| Ordering |               |
|----------|---------------|
| EAN      | 5415022391855 |
| UPC      | 786210109893  |

| Dimensions          |        |
|---------------------|--------|
| Product Net Depth / | 100 ft |
| Length              | 30 m   |

| Technical           |                  |
|---------------------|------------------|
| Number of Batteries | 0                |
| Color               | Gray             |
| Material            | Galvanised Steel |

| Environmental |                                                                        |
|---------------|------------------------------------------------------------------------|
| WEEE Category | Product Not in WEEE Scope                                              |
| RoHS Status   | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

| Container Information   |                        |
|-------------------------|------------------------|
| Package Level 1 Units   | 100 ft                 |
| Package Level 1 Height  | 203.2 mm<br>8 in       |
| Package Level 1 Depth / | 527.05 mm              |
| Length                  | 20.75 in               |
| Package Level 1 Width   | 517.652 mm<br>20.38 in |

| Certificates and Declarations        |                 |
|--------------------------------------|-----------------|
| Data Sheet, Technical<br>Information | TDS000117       |
| Instructions and<br>Manuals          | LTGES03G-C      |
| Declaration of<br>Conformity - CE    | 9AKK107492A9895 |

| Classifications |                                     |
|-----------------|-------------------------------------|
| ETIM 8          | EC001179 - Protective metallic hose |
| UNSPSC          | 39131706                            |

| Categories |  |
|------------|--|
|------------|--|

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

