



PRODUCT-DETAILS

LTGUS01G-C

LFMC GP UL 3/8IN GRY 30M/100FT



General Information	
Extended Product Type	LTGUS01G-C
Product ID	7TAA012LN0R0000
EAN	5415022391138
Catalog Description	LFMC GP UL 3/8IN GRY 30M/100FT
Long Description	Liquid Tight Flexible Metallic Conduit, General Purpose, Galvanised Steel Core with PVC Jacket, Conduit Size 3/8 Inch, Length 30 Meters/100 Feet, Working Temperature - 30 to 80 Degrees C, UL E125517, CSA LR-72635, Compliant to RoHS, Gray

Additional Information	
Application	General Purpose
Product Type	Liquid Tight Flexible Metallic Conduit

Ordering	
EAN	5415022391138
UPC	786210108391

Dimensions		
Product Net Depth /		100 ft
Length		30 m

Technical		
Number of Batteries		0
Color		Gray
Material		Galvanised Steel

Environmental		
WEEE Category		Product Not in WEEE Scope
RoHS Status		Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information		
Package Level 1 Units		100 ft
Package Level 1 Height		203.2 mm 8 in
Package Level 1 Depth /		447.548 mm
Length		17.62 in
Package Level 1 Width		425.45 mm 16.75 in

Certificates and Declarations		
Data Sheet, Technical		TDS000117
Information		
Instructions and		LTGUS01G-C
Manuals		
Declaration of		9AKK107492A9887
Conformity - CE		

Classifications		
ETIM 8		EC001179 - Protective metallic hose
UNSPSC		39131706

Categories		
------------	--	--

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

