




PRODUCT-DETAILS

# LTGUS03G-C

## LFMC GP UL 3/4IN GRY 30M/100FT



### General Information

Extended Product Type	LTGUS03G-C
Product ID	7TAA012LN0R0002
EAN	5415022391152
Catalog Description	LFMC GP UL 3/4IN GRY 30M/100FT
Long Description	Liquid Tight Flexible Metallic Conduit, General Purpose, Galvanised Steel Core with PVC Jacket, Conduit Size 3/4 Inch, Length 30 Meters/100 Feet, Working Temperature -30 to 80 Degrees C, UL E125517, CSA LR-72635, Compliant to RoHS, Gray

### Additional Information

Application	General Purpose
Product Type	Liquid Tight Flexible Metallic Conduit

### Ordering

EAN	5415022391152
UPC	786210108421

---

### Dimensions

---

Product Net Depth / Length	100 ft 30 m
----------------------------	----------------

---



---

### Technical

---

Number of Batteries	0
Color	Gray
Material	Galvanised Steel

---



---

### Environmental

---

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---



---

### Container Information

---

Package Level 1 Units	100 ft
Package Level 1 Height	203.2 mm 8 in
Package Level 1 Depth / Length	527.05 mm 20.75 in
Package Level 1 Width	517.652 mm 20.38 in

---



---

### Certificates and Declarations

---

Data Sheet, Technical Information	TDS000117
Instructions and Manuals	LTGUS03G-C
Declaration of Conformity - CE	9AKK107492A9887

---



---

### Classifications

---

ETIM 8	EC001179 - Protective metallic hose
UNSPSC	39131706

---



---

### Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

