



PRODUCT-DETAILS

LTGUS05B-B

LFMC GP UL 1-1/4IN BLK 15M/50FT



General Information	
Extended Product Type	LTGUS05B-B
Product ID	7TAA012LN0R0014
EAN	5415022391275
Catalog Description	LFMC GP UL 1-1/4IN BLK 15M/50FT
Long Description	Liquid Tight Flexible Metallic Conduit, General Purpose, Galvanised Steel Core with PVC Jacket, Conduit Size 1-1/4 Inch, Length 15 Meters/50 Feet, Working Temperature - 30 to 80 Degrees C, UL E125517, CSA LR-72635, Compliant to RoHS, Black

Additional Information	
Application	General Purpose
Product Type	Liquid Tight Flexible Metallic Conduit

Ordering	
EAN	5415022391275
UPC	786210109077

Dimensions		
Product Net Depth /		50 ft
Length		15 m

Technical		
Number of Batteries		0
Color		Black
Material		Galvanised Steel

Environmental		
WEEE Category		Product Not in WEEE Scope
RoHS Status		Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information		
Package Level 1 Units		50 ft
Package Level 1 Height		209.55 mm 8.25 in
Package Level 1 Depth /		641.35 mm
Length		25.25 in
Package Level 1 Width		622.3 mm 24.5 in

Certificates and Declarations		
Data Sheet, Technical		TDS000117
Information		
Instructions and		LTGUS05B-B
Manuals		
Declaration of		9AKK107492A9887
Conformity - CE		

Classifications		
ETIM 8		EC001179 - Protective metallic hose
UNSPSC		39131706

Categories		
------------	--	--

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

