



PRODUCT-DETAILS

LTGUS07G-B
LFMC GP UL 2IN GRY 15M/50FT



General Information	
Extended Product Type	LTGUS07G-B
Product ID	7TAA012LN0R0006
EAN	5415022391190
Catalog Description	LFMC GP UL 2IN GRY 15M/50FT
Long Description	Liquid Tight Flexible Metallic Conduit, General Purpose, Galvanised Steel Core with PVC Jacket, Conduit Size 2 Inch, Length 15 Meters/50 Feet, Working Temperature -30 to 80 Degrees C, UL E125517, CSA LR-72635, Compliant to RoHS, Gray
Additional Information	
Application	General Purpose
Product Type	Liquid Tight Flexible Metallic Conduit
Ordering	
EAN	5415022391190
UPC	786210108827

Dimensions	
Product Net Depth / Length	50 ft 15 m

Technical	
Number of Batteries	0
Color	Gray
Material	Galvanised Steel

Environmental	
WEEE Category	Product Not in WEEE Scope
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information	
Package Level 1 Units	50 ft
Package Level 1 Height	263.652 mm 10.38 in
Package Level 1 Depth / Length	853.948 mm 33.62 in
Package Level 1 Width	939.8 mm 37 in

Certificates and Declarations	
Data Sheet, Technical Information	TDS000117
Instructions and Manuals	LTGUS07G-B
Declaration of Conformity - CE	9AKK107492A9887

Classifications	
ETIM 8	EC001179 - Protective metallic hose
UNSPSC	39131706

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings	

