



PRODUCT-DETAILS

LTGUS08G-A
LFMC GP UL 2-1/2IN GRY 8M/25FT



General Information	
Extended Product Type	LTGUS08G-A
Product ID	7TAA012LN0R0007
EAN	5415022391206
Catalog Description	LFMC GP UL 2-1/2IN GRY 8M/25FT
Long Description	Liquid Tight Flexible Metallic Conduit, General Purpose, Galvanised Steel Core with PVC Jacket, Conduit Size 2-1/2 Inch, Length 8 Meters/25 Feet, Working Temperature -30 to 80 Degrees C, UL E125517, CSA LR-72635, Compliant to RoHS, Gray
Additional Information	
Application	General Purpose
Product Type	Liquid Tight Flexible Metallic Conduit
Ordering	
EAN	5415022391206
UPC	786210108889

Dimensions	
Product Net Depth / Length	25 ft 8 m

Technical	
Number of Batteries	0
Color	Gray
Material	Galvanised Steel

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	25 ft
Package Level 1 Height	263.652 mm 10.38 in
Package Level 1 Depth / Length	853.948 mm 33.62 in
Package Level 1 Width	939.8 mm 37 in

Certificates and Declarations	
Data Sheet, Technical Information	TDS000117
Instructions and Manuals	LTGUS08G-A
Declaration of Conformity - CE	9AKK107492A9887

Classifications	
ETIM 8	EC001179 - Protective metallic hose
UNSPSC	39131706

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings	

