




PRODUCT-DETAILS

LTTES06G-B

LFMC WTMP 1-1/2IN GRY 15M/50FT



General Information	
Extended Product Type	LTTES06G-B
Product ID	7TAA012LC0R0005
EAN	5415022390131
Catalog Description	LFMC WTMP 1-1/2IN GRY 15M/50FT
Long Description	Liquid Tight Flexible Metallic Conduit, Wide Temperature Range, Galvanised Steel Core with PVC Jacket, Conduit Size 1-1/2 Inch, Length 15 Meters/50 Feet, Working Temperature -55 to 105 Degrees C, Intermitting to 120 Degrees C, Compliant to RoHS, Gray

Additional Information	
Application	Used with high temperature machine tool wiring
Product Type	Liquid Tight Flexible Metallic Conduit

Ordering	
EAN	5415022390131
UPC	786210106090

Dimensions	
Product Net Depth /	50 ft
Length	15 m

Technical	
Number of Batteries	0
Color	Gray
Material	Galvanised Steel

Environmental	
WEEE Category	Product Not in WEEE Scope
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information	
Package Level 1 Units	50 ft
Package Level 1 Height	263.652 mm 10.38 in
Package Level 1 Depth / Length	853.948 mm 33.62 in
Package Level 1 Width	939.8 mm 37 in

Certificates and Declarations	
Data Sheet, Technical Information	TDS000117
Instructions and Manuals	LTTES06G-B
Declaration of Conformity - CE	9AKK107492A9891

Classifications	
ETIM 8	EC001179 - Protective metallic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

