



PRODUCT-DETAILS

LTTUS02G-C

LFMC WTMP UL 1/2IN GRY 30M/100FT



General Information	
Extended Product Type	LTTUS02G-C
Product ID	7TAA012LD0R0001
EAN	5415022390544
Catalog Description	LFMC WTMP UL 1/2IN GRY 30M/100FT
Long Description	Liquid Tight Flexible Metallic Conduit, Wide Temperature Range, Galvanised Steel Core with PVC Jacket, Conduit Size 1/2 Inch, Length 30 Meters/100 Feet, Working Temperature -55 to 105 Degrees C, UL E125517, CSA LR-72635, Compliant to RoHS, Gray

Additional Information	
Application	Used with high temperature machine tool wiring
Product Type	Liquid Tight Flexible Metallic Conduit

Ordering	
EAN	5415022390544
UPC	786210106359

Dimensions		
Product Net Depth /		100 ft
Length		30 m

Technical		
Number of Batteries		0
Color		Gray
Material		Galvanised Steel

Environmental		
WEEE Category		Product Not in WEEE Scope

Container Information		
Package Level 1 Units		100 ft
Package Level 1 Height		203.2 mm
		8 in
Package Level 1 Depth /		447.548 mm
Length		17.62 in
Package Level 1 Width		425.45 mm
		16.75 in

Certificates and Declarations		
Data Sheet, Technical		TDS000117
Information		
Instructions and		LTTUS02G-C
Manuals		
Declaration of		9AKK107492A9885
Conformity - CE		

Classifications		
ETIM 8		EC001179 - Protective metallic hose
UNSPSC		39131706

Categories		
------------	--	--

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

