



PRODUCT-DETAILS

LTXES05B-B

LFMC XTMP 1-1/4IN BLK 15M/50FT



General Information	
Extended Product Type	LTXES05B-B
Product ID	7TAA012LE0R0004
EAN	5415022390773
Catalog Description	LFMC XTMP 1-1/4IN BLK 15M/50FT
Long Description	Liquid Tight Flexible Metallic Conduit, Extreme Temperature Range, Galvanised Steel Core with TPR Jacket, Conduit Size 1-1/4 Inch, Length 15 Meters/50 Feet, Working Temperature -60 to 150 Degrees C, Intermitting to 165 Degrees C, Compliant to RoHS, Black

Additional Information	
Application	Used in extremely high temperature applications such as commercial ovens and refrigeration, industrial furnaces and foundries
Product Type	Liquid Tight Flexible Metallic Conduit

Ordering	
EAN	5415022390773

UPC

786210106755

Dimensions

Product Net Depth /	50 ft
Length	15 m

Technical

Number of Batteries	0
Color	Black
Material	Galvanised Steel

Environmental

WEEE Category	Product Not in WEEE Scope
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units	50 ft
Package Level 1 Height	209.55 mm 8.25 in
Package Level 1 Depth /	641.35 mm
Length	25.25 in
Package Level 1 Width	622.3 mm 24.5 in

Certificates and Declarations

Data Sheet, Technical Information	TDS000117
Instructions and Manuals	LTXES05B-B
Declaration of Conformity - CE	9AKK107492A9892

Classifications

ETIM 8	EC001179 - Protective metallic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

