



PRODUCT-DETAILS

LTXES06B-B

LFMC XTMP 1-1/2 BLK 15M/50FT



General Information	
Extended Product Type	LTXES06B-B
Product ID	7TAA012LE0R0005
EAN	5415022390780
Catalog Description	LFMC XTMP 1-1/2 BLK 15M/50FT
Long Description	Liquid Tight Flexible Metallic Conduit, Extreme Temperature Range, Galvanised Steel Core with TPR Jacket, Conduit Size 1-1/2 Inch, Length 15 Meters/50 Feet, Working Temperature -60 to 150 Degrees C, Intermitting to 165 Degrees C, Compliant to RoHS, Black

Additional Information	
Application	Used in extremely high temperature applications such as commercial ovens and refrigeration, industrial furnaces and foundries
Product Type	Liquid Tight Flexible Metallic Conduit

Ordering	
EAN	5415022390780

UPC

786210106779

Dimensions

Product Net Depth /
Length

50 ft
15 m

Technical

Number of Batteries

0

Material

Galvanised Steel

Environmental

WEEE Category

Product Not in WEEE Scope

RoHS Status

Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units

50 ft

Package Level 1 Height

263.652 mm
10.38 in

Package Level 1 Depth /
Length

853.948 mm
33.62 in

Package Level 1 Width

939.8 mm
37 in

Certificates and Declarations

Data Sheet, Technical
Information

TDS000117

Instructions and
Manuals

LTXES06B-B

Declaration of
Conformity - CE

9AKK107492A9892

Classifications

ETIM 8

EC001179 - Protective metallic hose

UNSPSC

39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

