



PRODUCT-DETAILS

LTXES07B-B

LFMC XTMP 2IN BLK 15M/50FT



General Information	
Extended Product Type	LTXES07B-B
Product ID	7TAA012LE0R0006
EAN	5415022390797
Catalog Description	LFMC XTMP 2IN BLK 15M/50FT
Long Description	Liquid Tight Flexible Metallic Conduit, Extreme Temperature Range, Galvanised Steel Core with TPR Jacket, Conduit Size 2 Inch, Length 15 Meters/50 Feet, Working Temperature -60 to 150 Degrees C, Intermitting to 165 Degrees C, Compliant to RoHS, Black

Additional Information	
Application	Used in extremely high temperature applications such as commercial ovens and refrigeration, industrial furnaces and foundries
Product Type	Liquid Tight Flexible Metallic Conduit

Ordering	
EAN	5415022390797

UPC

786210106854

Dimensions

Product Net Depth /	50 ft
Length	15 m

Technical

Number of Batteries	0
Color	Black
Material	Galvanised Steel

Environmental

WEEE Category	Product Not in WEEE Scope
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units	50 ft
Package Level 1 Height	263.652 mm 10.38 in
Package Level 1 Depth / Length	853.948 mm 33.62 in
Package Level 1 Width	939.8 mm 37 in

Certificates and Declarations

Data Sheet, Technical Information	TDS000117
Instructions and Manuals	LTXES07B-B
Declaration of Conformity - CE	9AKK107492A9892

Classifications

ETIM 8	EC001179 - Protective metallic hose
UNSPSC	39131706

---

**Categories**

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

