



PRODUCT-DETAILS

CMS-202DR

CMS-202DR Sensor



General Information	
Extended Product Type	CMS-202DR
Product ID	2CCA880134R0001
EAN	7612271426699
Catalog Description	CMS-202DR Sensor
Long Description	CMS-202DR 25 mm - Solid-Core Sensor - 20A

Technical	
Rated Operational Voltage	690 V AC 1500 V DC
Frequency (f)	Rated Current 50 Hz atRatedLoad 0.27 W
Accuracy	0.5% FS
Measuring Range	0.1...20 A
Mounting Type	DIN-Rail
Sensor Type	Solid-core (25 mm)
Output	Other

Material Compliance		
RoHS Information		2CCC413008D0206
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment	
RoHS Date		20170426
Conflict Minerals Reporting Template (CMRT)		9AKK108468A3363

Environmental		
Ambient Air Temperature		Operation -25 ... 70 °C
Environmental Information		2CCC481001D0202

Dimensions		
Product Net Width		25.4 mm
Product Net Height		43.2 mm
Product Net Depth / Length		43 mm
Product Net Weight		30 g

Ordering		
Package Level 1 Units		box 1 piece
Package Level 1 Gross Weight		83 g
E-Number (Finland)		6719066

Certificates and Declarations		
Declaration of Conformity - CE		2CCC481017D0201

Installation		
Instructions and Manuals		9AKK106930A6241

Popular Downloads		
Data Sheet, Technical Information		2CCC481003C0201

Classifications		
ETIM 8		EC002475 - Current value transformer
ETIM 9		EC002475 - Current value transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B		Business To Consumer

CN8	90303900
UNSPSC	41111928
eClass	V11.0 : 27210123
IDEA Granular Category Code (IGCC)	6160 >> Current sensors
Object Classification Code	P

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Energy Efficiency Devices → Circuit Monitoring Systems

