



PRODUCT-DETAILS

E 9F6 PV
E 9F6 PV Fuse link



General Information	
Extended Product Type	E 9F6 PV
Product ID	2CSM213506R1801
EAN	8012542135067
Catalog Description	E 9F6 PV Fuse link
Long Description	E 9F6 PV is a 10.3x38 mm cylindrical fuse for photovoltaic applications

Technical	
Standards	IEC 60269-6
Rated Voltage (U_r)	1000 V
Rated Current (I_n)	6 A
Maximum Breaking Capacity	50 kA
Power Loss	at Rated Operating Conditions per Pole 1.05 W
Fuse Type	gPV
Release Type	gPV: Used in string protection of PV modules in photovoltaic applications
Construction Material	GMG
Fuse Size	10x38
Contact Material	copper tin plated (Cu/Sn)

Material Compliance		
RoHS Information		9AKK106713A5626
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	
RoHS Date		27/01/2014
REACH Declaration		9AKK108467A9482
Conflict Minerals Reporting Template (CMRT)		9AKK108468A3363

Environmental		
Environmental Information		See RoHS Information

Dimensions		
Product Net Width		0.001 m
Product Net Height		0.004 m
Product Net Depth / Length		0.001 m
Product Net Weight		0.007 kg
Dimension Diagram		9AKK108466A8536

Ordering		
Package Level 1 Units		box 10 piece
Package Level 1 Gross Weight		0.05 kg

Certificates and Declarations		
Certification Agency		EAC, UL
Declaration of Conformity - CE		9AKK106713A5626
UL Certificate		9AKK108467A0349

Installation		
Instructions and Manuals		No document needed

Popular Downloads		
Data Sheet, Technical Information		9AKK107991A8329
Time-Current Characteristic Curve		9AKK108467A0154

Classifications		
ETIM 8		EC002704 - Cylindrical fuse
ETIM 9		EC002704 - Cylindrical fuse
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B		Business To Consumer
CN8		85351000

eClass

V11.0 : 27142002

Object Classification Code

F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety Devices → Cylindrical and D0 Fuses

