TS10/12-24 C 1/4



PRODUCT-DETAILS

## TS10/12-24 C

# TS10/12-24 C Safety isolating transformer



General Information	
Extended Product Type	TS10/12-24 C
Product ID	2CSM228555R0812
EAN	8012542285557
Catalog Description	TS10/12-24 C Safety isolating transformer
Long Description	TS-C are ideal for supplying permanent power to meters, auxiliary electronic devices and circuits with very low safety voltage (SELV) for bathrooms and showers, lighting,

Technical	
Standards	IEC/EN 61558-2-6
Application	Building and Industrial
Primary Voltage	230 V
Secondary Voltage	(2-3) 12 V AC
	(2-4) 24 V AC
	(3-4) 0 V AC
Secondary Current	(2-3) 0.83 A
	(2-4) 0.42 A
	(3-4) 0 A

TS10/12-24 C 2/4

Output Current	0.42 A
Maximum (I <sub>out</sub> )	
Rated Frequency (f)	50/60 Hz
Power Loss	< 5 (full load) W
Power Supply	10 V·A
Rated Output Power	10 W
Insulation Class	В
Tightening Torque	0.5 N·m
Transformer Type	Non - Inherently Short Circuit Proof
Options Provided	None
Remarks	Suitable for loads that require a continuous supply. Double insulation between primary and secondary windings
Connecting Capacity	2.5 mm²
Wire Stripping Length	9 mm

### Material Compliance

RoHS Information	9AKK106713A5646
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
RoHS Date	20/04/2006 0.00.00
REACH Declaration	9AKK108467A9482
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

#### **Environmental**

Ambient Air	Operation +10 +40 °C
Temperature	
Degree of Protection	IP20

## Technical UL/CSA

Connecting Capacity	14 AWG
UL/CSA	

### Dimensions

Width in Number of Modular Spacings	2
Product Net Width	45 mm
Product Net Height	0.085 m
Product Net Depth / Length	0.065 m
Product Net Weight	0.350 kg

### Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.350 kg
E-Number (Finland)	8409003

TS10/12-24 C 3/4

Certificates and Declarations	
Certification Agency	IMQ
Declaration of Conformity - CE	9AKK106713A5646
IMQ Certificate	9AKK107992A6754

Installation	
Instructions and	No document needed
Manuals	

Popular Downloads	
Data Sheet, Technical	9AKK107991A8329
Information	

Classifications	
ETIM 8	EC001547 - Bell transformer
ETIM 9	EC001547 - Bell transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85043121
eClass	V11.0 : 27031190
Object Classification Code	т

#### Categories

 $Low\ Voltage\ Products\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Command\ and\ Signalling\ Devices\ \rightarrow\ Bells\ and\ Safety\ Transformers$ 

TS10/12-24 C 4/4









3605