



PRODUCT-DETAILS

# E 9F22 AM10

## E 9F22 AM10 Fuse link



| General Information   |                                                                  |
|-----------------------|------------------------------------------------------------------|
| Extended Product Type | E 9F22 AM10                                                      |
| Product ID            | 2CSM256243R1801                                                  |
| EAN                   | 8012542562436                                                    |
| Catalog Description   | E 9F22 AM10 Fuse link                                            |
| Long Description      | E 9F22 AM10 is a 22x58 mm cylindrical fuse for motors protection |

| Technical                 |                                                        |
|---------------------------|--------------------------------------------------------|
| Standards                 | IEC 60269-2                                            |
| Rated Voltage ( $U_r$ )   | 690 V                                                  |
| Rated Current ( $I_n$ )   | 10 A                                                   |
| Maximum Breaking Capacity | 120 kA                                                 |
| Power Loss                | at Rated Operating Conditions per Pole 0.75 W          |
| Fuse Type                 | aM                                                     |
| Release Type              | aM: Used in short-circuit protection of motor circuits |
| Construction Material     | Ceramic                                                |
| Fuse Size                 | 22x58                                                  |

Contact Material

copper silver plated (Cu/Ag)

Material Compliance

|                                             |                                                                        |
|---------------------------------------------|------------------------------------------------------------------------|
| RoHS Information                            | 9AKK106713A5625                                                        |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date                                   | 27/01/2014                                                             |
| REACH Declaration                           | 9AKK108467A9482                                                        |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363                                                        |

Environmental

|                           |                      |
|---------------------------|----------------------|
| Environmental Information | See RoHS Information |
|---------------------------|----------------------|

Dimensions

|                            |                 |
|----------------------------|-----------------|
| Product Net Width          | 0.002 m         |
| Product Net Height         | 0.006 m         |
| Product Net Depth / Length | 0.002 m         |
| Product Net Weight         | 0.048 kg        |
| Dimension Diagram          | 9AKK108466A8534 |

Ordering

|                              |              |
|------------------------------|--------------|
| Package Level 1 Units        | box 10 piece |
| Package Level 1 Gross Weight | 0.05 kg      |

Certificates and Declarations

|                                 |                 |
|---------------------------------|-----------------|
| Cut-off Current Characteristic  | 9AKK108466A9073 |
| Declaration of Conformity - CE  | 9AKK106713A5625 |
| I <sup>2</sup> t Characteristic | 9AKK108467A0129 |

Installation

|                          |                    |
|--------------------------|--------------------|
| Instructions and Manuals | No document needed |
|--------------------------|--------------------|

Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK107991A8329 |
| Cut-off Current Characteristic    | 9AKK108466A9073 |
| I <sup>2</sup> t Characteristic   | 9AKK108467A0129 |

Classifications

|                            |                                                            |
|----------------------------|------------------------------------------------------------|
| ETIM 8                     | EC002704 - Cylindrical fuse                                |
| ETIM 9                     | EC002704 - Cylindrical fuse                                |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B             | Business To Business                                       |
| CN8                        | 85361010                                                   |
| eClass                     | V11.0 : 27142002                                           |
| Object Classification Code | F                                                          |

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety Devices → Cylindrical and D0 Fuses

