M40M25M 1/3



PRODUCT-DETAILS

M40M25M

THEAD REDUCER BRASS M40/M25 ROUND



| General Information | |
|-----------------------|---|
| Extended Product Type | M40M25M |
| Product ID | 7TAA292550R0063 |
| EAN | 7630030248290 |
| Catalog Description | THEAD REDUCER BRASS M40/M25 ROUND |
| Long Description | MR Reducer, Brass, Metric Thread, Standard - Thread Inside Metric M25x1.5, Thread Outside Metric M40x1.5 |

| Additional Information | |
|------------------------|-------------------------------------|
| Application | For Reduction of an Existing Thread |
| Product Type | Conduit Reducer with Round Form |

| Ordering Ordering | |
|-------------------|---------------|
| EAN | 7630030248290 |
| UPC | 786209960733 |

M40M25M 2/3

| Technical | |
|---------------------|---------------------|
| Number of Batteries | 0 |
| Color | Metallic |
| Material | Nickel Plated Brass |
| Size | M40 to M25 |

Environmental

WEEE Category Product Not in WEEE Scope

| Container Information | |
|--------------------------------|--------------|
| Package Level 1 Units | 25 EA |
| Package Level 1 Height | 0 mm 0 in |
| Package Level 1 Depth / Length | 0 mm 0 in |
| Package Level 1 Width | 0 mm 0 in |

| Certificates and Declarations | |
|--------------------------------------|-----------------|
| Data Sheet, Technical Information | M40M25M |
| Instructions and Manuals | M40M25M |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| Classifications | |
|-----------------|--------------------------------------|
| ETIM 8 | EC000938 - Enlargement/reducing ring |
| UNSPSC | 39121311 |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

M40M25M 3/3

