E202/100G 1/3



PRODUCT-DETAILS

## E202/100G E202/100G Switch Disconnector



General Information	
Extended Product Type	E202/100G
Product ID	2CDE282001R1100
EAN	4016779645935
Catalog Description	E202/100G Switch Disconnector
Long Description	These devices are suitable for commanding loads and they are realized according EN 60947-3 and EN 60669-1 respectively. Fast removal without dismantling of the busbar. Captive screws with recessed/slotted head. Pozidrive size 2. Add-on of up to 3 auxiliary contact S2C-H6R possible Integrated lay-on edge for labeling system ILS. Locking device as accessories for unauthorized ON/OFF. Approval: VDE, CCC, KEMA

Technical	
Standards	IEC/EN 60947-3
Rated Voltage (U <sub>r</sub> )	400 V 12 V Minimum
Input Voltage Type	AC
Rated Current (I <sub>n</sub> )	100 A
Rated Conditional Short- Circuit Current (I <sub>nc</sub> )	25 kA
Power Loss	at Rated Operating Conditions per Pole 3.95 W
Number of Contacts CO	0

E202/100G 2/3

Number of Contacts NC	0
Number of Contacts NO	2
Number of Poles	2
Switch Type	Off
Cover Color	Grey
Material Compliance	
RoHS Information	2CDK440002K0201
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20110701
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals	9AKK108468A3363
Reporting Template (CMRT)	
Environmental	
Degree of Protection	IP10
Dimensions	
Width in Number of	2
Modular Spacings	
Product Net Width	35 mm
Product Net Height	85 mm
Product Net Depth / Length	69 mm
Product Net Weight	0.19 kg
Built-In Depth (t <sub>2</sub> )	70 mm
Ordering	
Package Level 1 Units	5 piece
Package Level 1 Gross Weight	0.995 kg
Certificates and Declarations	
Certification Agency	EN IEC
Declaration of Conformity - CE	2CDK441011D0403
Installation	
Instructions and Manuals	2CSC400002D0208
Popular Downloads	
Data Sheet, Technical Information	2CSC400002D0209
omaton	

E202/100G 3/3

Classifications	
ETIM 8	EC001545 - Main switch for distribution board
ETIM 9	EC001545 - Main switch for distribution board
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27142301

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Command\ and\ Signalling\ Devices\ \rightarrow\ Switch\ Disconnectors$ 





