MVAV-P090 1/3



PRODUCT-DETAILS

## MVAV-P090 COND FTNG 45D PG9 NW10 PA6/BR GRY



Product ID  EAN  7630030245190  Catalog Description  COND FTNG 45D PG9 NW10 PA6/BR GRY  Long Description  VAV Connector 45 Degree Elbow, PG Metal Thread - Thread 9, Fits to Conduit Size  NW/Metric 10/12, Color Grav  Additional Information  Application  For Cable Protection Systems In a Wide Range of Applications	General Information	
EAN 7630030245190 Catalog Description COND FTNG 45D PG9 NW10 PA6/BR GRY Long Description VAV Connector 45 Degree Elbow, PG Metal Thread - Thread 9, Fits to Conduit Size NW/Metric 10/12, Color Grave  Additional Information Application For Cable Protection Systems In a Wide Range of Applications Product Type Fittings for Nylon Flexible Conduits  Ordering  EAN 7630030245190	Extended Product Type	MVAV-P090
Catalog Description  COND FTNG 45D PG9 NW10 PA6/BR GRY  VAV Connector 45 Degree Elbow, PG Metal Thread - Thread 9, Fits to Conduit Size  NW/Metric 10/12, Color Grav  Additional Information  Application  For Cable Protection Systems In a Wide Range of Applications  Product Type  Fittings for Nylon Flexible Conduits  Ordering  EAN  7630030245196	Product ID	7TAA292150R0487
Long Description  VAV Connector 45 Degree Elbow, PG Metal Thread - Thread 9, Fits to Conduit Size NW/Metric 10/12, Color Grave  Additional Information  Application  For Cable Protection Systems In a Wide Range of Applications  Product Type  Fittings for Nylon Flexible Conduits  Ordering  EAN  7630030245196	EAN	7630030245190
Additional Information  Application  Application  Product Type  Ordering  EAN  NW/Metric 10/12, Color Grave New Model (10/12)	Catalog Description	COND FTNG 45D PG9 NW10 PA6/BR GRY
Application For Cable Protection Systems In a Wide Range of Applications Product Type Fittings for Nylon Flexible Conduits  Ordering  EAN 7630030245190	Long Description	VAV Connector 45 Degree Elbow, PG Metal Thread - Thread 9, Fits to Conduit Size NW/Metric 10/12, Color Gray
EAN 7630030245190	Additional Information Application Product Type	For Cable Protection Systems In a Wide Range of Applications Fittings for Nylon Flexible Conduits
		7630030245100

MVAV-P090 2/3

Technical	
Number of Batteries	
Color	Gra
Material	High-Grade Specially Formulated Polyamide, Thread Made of Nickel-Plated Bras:
Size	PG0s
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	50 EA
Package Level 1 Height	0 mn 0 ir
Package Level 1 Depth / Length	0 mm 0 ir
Package Level 1 Width	0 mm 0 ir
Certificates and Declarations	
Data Sheet, Technical Information	MVAV-P090
Instructions and Manuals	MVAV-P090
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
	FC001176 Corous connection for
ETIM 8 UNSPSC	EC001176 - Screw connection for corrugated plastic hose 3913171.

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$ 

MVAV-P090 3/3

