MVAV-P213 1/3



PRODUCT-DETAILS

MVAV-P213 COND FTNG 45D PG21 NW23 PA6/BR GRY



| General Information | |
|---|--|
| Extended Product Type | MVAV-P213 |
| Product ID | 7TAA292150R0491 |
| EAN | 7630030245152 |
| Catalog Description | COND FTNG 45D PG21 NW23 PA6/BR GRY |
| Long Description | VAV Connector 45 Degree Elbow, PG Metal Thread - Thread 21, Fits to Conduit Size NW/Metric 23/25, Color Gray |
| Additional Information Application Product Type | For Cable Protection Systems In a Wide Range of Applications Fittings for Nylon Flexible Conduits |
| Ordering EAN | 7630030245152 |
| UPC | 786209959607 |

MVAV-P213 2/3

| Technical | |
|-----------------------------------|--|
| Number of Batteries | |
| Color | Gray |
| Material | High-Grade Specially Formulated Polyamide, Thread Made of Nickel-Plated Bras: |
| Size | PG2 [·] |
| Environmental | |
| WEEE Category | Product Not in WEEE Scope |
| Container Information | |
| Package Level 1 Units | 30 EA |
| Package Level 1 Height | 0 mm |
| | 0 ir |
| Package Level 1 Depth / Length | 0 mm 0 ir |
| Package Level 1 Width | 0 mm 0 ir |
| Certificates and Declarations | |
| Data Sheet, Technical Information | MVAV-P213 |
| Instructions and Manuals | MVAV-P213 |
| Declaration of Conformity - CE | 9AKK107680A0674 |
| Oleverification | |
| Classifications | F0004470 0 |
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |

Categories

 $Low\ Voltage\ Products\ and\ Systems \to Installation\ Products \to Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \to Flexible\ Cable\ Protection\ Systems$

MVAV-P213 3/3

