MVNV-M409-13 1/3



PRODUCT-DETAILS

MVNV-M409-13 FTNG STR M40NW29 PA6/BR 13 IP68 GRY



Extended Product Type	MVNV-M409-13
Product ID	7TAA292150R0540
EAN	7630030244247
Catalog Description	FTNG STR M40NW29 PA6/BR 13 IP68 GRY
Long Description	PMAFIX Straight Grey Connector with Metric Threads, Connector Material - Polyamide 6, Thread Material - Nickel Plated Brass, Thread Size - M40x1.5, Thread Length - 13, Conduit Size NW - 29
Additional Information	
	For Use In the Hoovy Machine and Bailyay Vehicle Construction Sectors
Additional Information Application	For Use In the Heavy Machine and Railway Vehicle Construction Sectors Where Increased Demands are Made of the System Properties
	For Use In the Heavy Machine and Railway Vehicle Construction Sectors Where Increased Demands are Made of the System Properties Connectors-Straight
Application	Where Increased Demands are Made of the System Properties
Application	Where Increased Demands are Made of the System Properties

UPC

786209960092

MVNV-M409-13 2/3

Technical	
Number of Batteries	C
Color	Gray
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW29 , M40 Threac
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	20 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 ir
Package Level 1 Width	0 mm 0 in
Certificates and Declarations	
Data Sheet, Technical Information	MVNV-M409-13
Instructions and Manuals	MVNV-M409-13
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Installation\ Products\ \to\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \to\ Flexible\ Cable\ Protection\ Systems$

MVNV-M409-13 3/3

