MVNV-P112 1/3



PRODUCT-DETAILS

MVNV-P112 FTNG STR PG11 NW12 PA6/BR IP68 GRY



Extended Product Type Product ID EAN Catalog Description Long Description	MVNV-P112 7TAA292150R0549 7630030244124 FTNG STR PG11 NW12 PA6/BR IP68 GRY
EAN Catalog Description	7630030244124 FTNG STR PG11 NW12 PA6/BR IP68 GRY
Catalog Description	FTNG STR PG11 NW12 PA6/BR IP68 GRY
Long Description	VALVO Compared Consider DO Martel Thorand Through 11 Fig. 4. Consider Circ. NIV/Martin
	VNV Connector Straight, PG Metal Thread - Thread 11, Fits to Conduit Size NW/Metric 12/16, Color Gray
Additional Information Application Product Type	Use In Railway Vehicle and Heavy Machine Construction Connectors-Straight
Ordering EAN	7630030244124
UPC	7850000244124

MVNV-P112 2/3

Technical	
Number of Batteries	C
Color	Gray
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW12 , PG11 Threac
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	50 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in
Certificates and Declarations	
Data Sheet, Technical Information	MVNV-P112
Instructions and Manuals	MVNV-P112
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

MVNV-P112 3/3

