



PRODUCT-DETAILS

MVWV-P488

FTNG 90D PG48 NW48 PA6/BR IP68 GRY



| General Information | |
|-----------------------|--|
| Extended Product Type | MVWV-P488 |
| Product ID | 7TAA292150R0584 |
| EAN | 7630030243264 |
| Catalog Description | FTNG 90D PG48 NW48 PA6/BR IP68 GRY |
| Long Description | VWV Connector 90 Degree Elbow, PG Metal Thread - Thread 48, Fits to Conduit Size NW/Metric 48/50, Color Gray |

| Additional Information | |
|------------------------|---|
| Application | Use In Railway Vehicle and Heavy Machine Construction |
| Product Type | Fittings for Nylon Flexible Conduits |

| Ordering | |
|----------|---------------|
| EAN | 7630030243264 |
| UPC | 786209960535 |

| Technical | | |
|---------------------|---|------|
| Number of Batteries | | 0 |
| Color | | Gray |
| Material | High-Grade Specially Formulated Polyamide, Thread Made of Nickel-Plated Brass | |
| Size | | PG48 |

| Environmental | | |
|---------------|--|---------------------------|
| WEEE Category | | Product Not in WEEE Scope |

| Container Information | | |
|--------------------------------|--|--------------|
| Package Level 1 Units | | 10 EA |
| Package Level 1 Height | | 0 mm 0 in |
| Package Level 1 Depth / Length | | 0 mm 0 in |
| Package Level 1 Width | | 0 mm 0 in |

| Certificates and Declarations | | |
|-----------------------------------|--|-----------------|
| Data Sheet, Technical Information | | MVWV-P488 |
| Instructions and Manuals | | MVWV-P488 |
| Declaration of Conformity - CE | | 9AKK107680A0674 |

| Classifications | | |
|-----------------|---|----------|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose | |
| UNSPSC | | 39131717 |

| Categories | | |
|---|--|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems | | |

