NEAV0505 1/3



PRODUCT-DETAILS

NEAV0505

EX 45 ELBOW NC25 M25 BLK



General Information	
Extended Product Type	NEAV0505
Product ID	7TCA297120R0354
EAN	5011949240001
Catalog Description	EX 45 ELBOW NC25 M25 BLK
Long Description	Conduit Fitting, 45 Degree Elbow with External Male Thread, Conduit Size 25mm, M25 Thread, Minimum Bore 23mm, Suitable for Unbraided Nylon Conduit, Approved for Zone 1 and 2, Zone 21 and 22, IP68 Rating, Modified Nylon 12 with Nickel Plated Threads, Black

Additional Information	
Application	For Indoor and Outdoor Applications
Product Type	45 Degree Curved Conduit Fitting with Male Thread
Ordering	

NEAV0505 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Modified Nylon 12 with Nickel Plated Threads
Size	Conduit Size 25mm

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Height	7.9 in
	201 mm
Package Level 1 Depth /	8.3 in
Length	211 mm
Package Level 1 Width	11.9 in
	302 mm

Certificates and Declarations	
Data Sheet, Technical Information	9AKK106930A7764
Instructions and Manuals	NEAV0505
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

NEAV0505 3/3

