



PRODUCT-DETAILS

NEAV0707
EX 45 ELBOW NC40 M40 BLK



| General Information | |
|------------------------|---|
| Extended Product Type | NEAV0707 |
| Product ID | 7TCA297120R0356 |
| EAN | 5011949240025 |
| Catalog Description | EX 45 ELBOW NC40 M40 BLK |
| Long Description | Conduit Fitting, 45 Degree Elbow with External Male Thread, Conduit Size 40mm, M40 Thread, Minimum Bore 36mm, Suitable for Unbraided Nylon Conduit, Approved for Zone 1 and 2, Zone 21 and 22, IP68 Rating, Modified Nylon 12 with Nickel Plated Threads, Black |
| Additional Information | |
| Application | For Indoor and Outdoor Applications |
| Product Type | 45 Degree Curved Conduit Fitting with Male Thread |
| Ordering | |
| EAN | 5011949240025 |

| | |
|---------------------|--|
| Technical | |
| Number of Batteries | 0 |
| Color | Black |
| Material | Modified Nylon 12 with Nickel Plated Threads |
| Size | Conduit Size 40mm |

| | |
|---------------|---------------------------|
| Environmental | |
| WEEE Category | Product Not in WEEE Scope |

| | |
|--------------------------------|-------------------|
| Container Information | |
| Package Level 1 Units | 10 piece |
| Package Level 1 Height | 11.9 in 302 mm |
| Package Level 1 Depth / Length | 8.3 in 211 mm |
| Package Level 1 Width | 15.8 in 401 mm |

| | |
|-----------------------------------|-----------------|
| Certificates and Declarations | |
| Data Sheet, Technical Information | 9AKK106930A7764 |
| Instructions and Manuals | NEAV0707 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| | |
|-----------------|---|
| Classifications | |
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

| | |
|---|--|
| Categories | |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems | |



Product image
not available