NEBV0809 1/3



PRODUCT-DETAILS

NEBV0809

EX 90 CURVED ELBOW NC50 M63 BLK



| General Information | |
|-----------------------|---|
| Extended Product Type | NEBV0809 |
| Product ID | 7TCA297120R0501 |
| EAN | 5011949246218 |
| Catalog Description | EX 90 CURVED ELBOW NC50 M63 BLK |
| Long Description | Conduit Fitting, 90 Degree Curved Elbow with External Male Thread, Conduit Size 50mm, M63 Thread, Minimum Bore 48mm, Suitable for Unbraided Nylon Conduit, Approved for Zone 1 and 2, Zone 21 and 22, IP68 Rating, Modified Nylon 12 with Nickel Plated Threads, Black |

| Additional Information | |
|------------------------|---|
| Application | For Indoor and Outdoor Applications |
| Product Type | 90 Degree Curved Conduit Fitting with Male Thread |
| | |
| Ordering | |
| EAN | E011040246210 |

NEBV0809 2/3

| Technical | |
|---------------------|--|
| Number of Batteries | 0 |
| Color | Black |
| Material | Modified Nylon 12 with Nickel Plated Threads |
| Size | Conduit Size 50mm ; M63 Thread |

Environmental

| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|

| Container Information | |
|--------------------------------|-------------------|
| Package Level 1 Units | 10 piece |
| Package Level 1 Height | 7.9 in 201 mm |
| Package Level 1 Depth / Length | 8.3 in 211 mm |
| Package Level 1 Width | 11.9 in 302 mm |

| Certificates and Declarations | |
|--------------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK106930A7765 |
| Instructions and Manuals | NEBV0809 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| Classifications | |
|-----------------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

NEBV0809 3/3

