



PRODUCT-DETAILS

NEIR0505
EX STR FEM FTNG NC25,M32 BLK



Product image
not available

General Information	
Extended Product Type	NEIR0505
Product ID	7TCA297120R0360
EAN	5011949240063
Catalog Description	EX STR FEM FTNG NC25,M32 BLK
Long Description	Conduit Fitting, Straight with Internal Female Thread, Conduit Size 25mm, M32 Thread, Minimum Bore 23mm, Suitable for Unbraided Nylon Conduit, Approved for Zone 1 and 2, Zone 21 and 22, IP68 Rating, Modified Nylon 12 with Nickel Plated Threads, Black

Additional Information	
Application	For Indoor and Outdoor Applications
Product Type	Straight Conduit Fitting with Female Thread

Ordering	
EAN	5011949240063
UPC	786210375564

Technical	
Number of Batteries	0
Color	Black
Material	Modified Nylon 12 with Nickel Plated Threads
Size	Conduit Size 25mm , M32 Thread

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	120 EA
Package Level 1 Height	302.26 mm 11.9 in
Package Level 1 Depth / Length	210.82 mm 8.3 in
Package Level 1 Width	401.32 mm 15.8 in

Certificates and Declarations	
Data Sheet, Technical Information	9AKK106930A7767
Instructions and Manuals	NEIR0505
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	



Product image
not available