



PRODUCT-DETAILS

NENV0607

EX STR MALE FTNG NC32, M40 BLK



Product image not available

General Information

Extended Product Type	NENV0607
Product ID	7TCA297120R0491
EAN	5011949246041
Catalog Description	EX STR MALE FTNG NC32, M40 BLK
Long Description	Conduit Fitting, Straight with External Male Thread, Conduit Size 32mm, M40 Thread, Minimum Bore 29mm, Suitable for Unbraided Nylon Conduit, Approved for Zone 1 and 2, Zone 21 and 22, IP68 Rating, Modified Nylon 12 with Nickel Plated Threads, Black

Additional Information

Application	For Indoor and Outdoor Applications
Product Type	Straight Conduit Fitting with Male Thread

Ordering

EAN	5011949246041
-----	---------------

Technical

Number of Batteries	0
Color	Black
Material	Modified Nylon 12 with Nickel Plated Threads
Size	Conduit Size 32mm : M40 Thread

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	10 EA
Package Level 1 Height	302.26 mm 11.9 in
Package Level 1 Depth / Length	200.66 mm 7.9 in
Package Level 1 Width	210.82 mm 8.3 in

Certificates and Declarations

Data Sheet, Technical Information	9AKK106930A7762
Instructions and Manuals	NENV0607
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available