NENV0708 1/3



PRODUCT-DETAILS

NENV0708

EX STR MALE FTNG NC40,M50 BLK



General Information	
Extended Product Type	NENV0708
Product ID	7TCA297120R0489
EAN	5011949246027
Catalog Description	EX STR MALE FTNG NC40,M50 BLK
Long Description	Conduit Fitting, Straight with External Male Thread, Conduit Size 40mm, M50 Thread, Minimum Bore 36mm, Suitable for Unbraided Nylon Conduit, Approved for Zone 1 and 2, Zone 21 and 22, IP68 Rating, Modified Nylon 12 with Nickel Plated Threads, Black

	L, 2016 21 and 22, 1700 Nating, Mounted Hylori 2 with Mickel Plated Threads, black
Additional Information	
Application	For Indoor and Outdoor Applications
Product Type	Straight Conduit Fitting with Male Thread
Ordering	
EAN	5011949246027

NENV0708 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Modified Nylon 12 with Nickel Plated Threads
Size	Conduit Size 40mm ; M50 Thread

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Height	11.9 in 302 mm
Package Level 1 Depth / Length	7.9 in 201 mm
Package Level 1 Width	8.3 in 211 mm

Certificates and Declarations

Data Sheet, Technical Information	9AKK106930A7762
Instructions and Manuals	NENV0708
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

 $Low\ Voltage\ Products\ \rightarrow\ Lost and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Flexible\ Cable\ Protection\ Systems$

NENV0708 3/3

