NENV0809 1/3



PRODUCT-DETAILS

## **NENV0809**

# EX STR MALE FTNG NC50,M63 BLK



General Information	
Extended Product Type	NENVO809
Product ID	7TCA297120R0345
EAN	5011949239913
Catalog Description	EX STR MALE FTNG NC50,M63 BLK
Long Description	Conduit Fitting, Straight with External Male Thread, Conduit Size 50mm, M63 Thread, Minimum Bore 48mm, Suitable for Unbraided Nylon Conduit, Approved for Zone 1 and 2, Zone 21 and 22, IP68 Rating, Modified Nylon 12 with Nickel Plated Threads, Black

	2, Zone 21 and 22, IP68 Rating, Modified Nylon 12 with Nickel Plated Threads, Black
Additional Information	
Application	For Indoor and Outdoor Applications
Product Type	Straight Conduit Fitting with Male Thread
Ordering	
EAN	5011949239913

NENV0809 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Modified Nylon 12 with Nickel Plated Threads
Size	Conduit Size 50mm ; M63 Thread

## **Environmental**

WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Height	7.9 in 201 mm
Package Level 1 Depth / Length	8.3 in 211 mm
Package Level 1 Width	11.9 in 302 mm

## **Certificates and Declarations**

Data Sheet, Technical Information	9AKK106930A7762
Instructions and Manuals	NENV0809
Declaration of Conformity - CE	9AKK107680A0674

## Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

## Categories

 $Low\ Voltage\ Products\ \rightarrow\ Lost and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Flexible\ Cable\ Protection\ Systems$ 

NENV0809 3/3

